	Application No.	Applicant(s)
Notice of Allowability	10/505,296	DAVE, RAJIV BOBBY
	Examiner	Art Unit
	J. Casimer Jacyna	3754
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	ears on the cover sheet with (OR REMAINS) CLOSED in or other appropriate communication is su	th the correspondence address this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>12/15/2005</u> .		
2. X The allowed claim(s) is/are <u>1-8</u> .		
3.	e been received. e been received in Application cuments have been received of this communication to file at ENT of this application.  itted. Note the attached EXAP is reason(s) why the oath or out the submitted. Son's Patent Drawing Review is Amendment / Comment or in the header according to 37 CFR is it of BIOLOGICAL MATE	in this national stage application from the a reply complying with the requirements  MINER'S AMENDMENT or NOTICE OF declaration is deficient.  ( PTO-948) attached  In the Office action of edrawings in the front (not the back) of editalia.  RIAL must be submitted. Note the
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	E - Nation of the	and But AA II II
2. ☐ Notice of References Cited (FTO-692)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		ormal Patent Application
· · · · · ·	Paper No./W	lail Date
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>08202004</u></li> </ol>	7. L. Examiner's A	mendment/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. 🛭 Examiner's S	tatement of Reasons for Allowance
5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	9. 🗌 Other	

Art Unit: 3754

- 1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Grey et al., is the US equivalent of the cited British reference. Winner teaches an inserted key for activating an actuator for a dispenser. Dyer teaches mating interlocks for securing a dispenser. Caparrelli et al., and Frazier et al. teach cartridge dispensers inserted into sockets with mating pins and apertures, but do not teach a mechanism to move the pins from a retracted to an engaged position. Specht teaches the use of a mating pin and aperture. Therien et al. teaches a dispenser with a set of pins 88 that are moved from a retracted to an engaged position as shown in figures 3-5, but uses the pins for spacers and does not teach the use of mating apertures.
- 2. The following is an examiner's statement of reasons for allowance: The prior art of record does not teach a cartridge and socket dispenser with a plurality of pins and mating apertures that includes a mechanism to move the pins from a retracted to a deployed position upon insertion of the cartridge into the socket.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Casimer Jacyna whose telephone number is 571-272-4889. The examiner can normally be reached on Wed. thru Fri. 9AM-7PM, Mon. 7AM-1PM.

Art Unit: 3754

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on 571-272-4720. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

J. Casimer Jacyna Primary Examiner

Art Unit 3754